

K30

eSSL
Security at Fingertips



Feature	
Users	500/1000 Fingerprints
Transaction	80,000 Logs
Card Storage	1000
Display	2.8" Color TFT



PRODUCT HIGHLIGHTS

Technical Specification		
Storage Capacity	Fingerprint Templates	1000
	Card Storage	1000
	Transaction Storage	80000
Biometric	Card Reader	Yes
	Fingerprint Sensor	500 DPI Optical Sensor
	FAR	<=0.0001%
	FRR	<=1%
	Identification speed	<=1 sec
	Algorithm Ver	10
	Audio/Visual	Display
Keypad		4 x 4 Keypad
LED Indicator		Green/Red
Schedule Bell/Speaker		Mini Speaker
Communication	Communication	TCP/IP, USB-host
	Push data	NA
	Standard features	Schedule Bell,Self Service Query,SSR Recorder,Automatic
Power & Environment		Status Switch,DST,T9 Inupt
	Power Supply	12V DC, 1.5 Amps
	Operating Temperature	0°C to 45°C
	Operating Humidity	20% -80%
	Dimension	185 x 140 x 30 mm



PRODUCT HIGHLIGHTS

Access Control	Wiegand	NO	
	Relay	12V	
	Support Fire Alarm	NO	
	Door Sensor	NO	
	Anti Passback	NO	
	Door Bell	NO	
Exit Readers	Support exit readers	Push Button	
Optional	Battery	Yes	
	Card readers	NO	
	Communication	NA	
	Dual Mode	Either SSR Mode or Software Mode	
Compatibility			
Compatible Software & SDK		Smart office suite desktop	
		Etime track lite desktop	
Major Applications		Time & Attendance , Canteen management, School attendance,	
		Production Management, Gym & clubs	