

S990A

eSSL
Security at Fingertips



Feature	
Face Capacity	1,200 (1:N), 3,000 (1:1)
Fingerprint Capacity	2000 (Optimal 4000)
Card Capacity	10,000 (Optional)
Transaction Capacity	1,00,000
Push Data	Yes



PRODUCT HIGHLIGHTS

Technical Specification		
Storage capacity	Face capacity	1200(1 :N), 3000(1:1)
	Fingerprints templates	2000 (Optional 4000)
	Card Storage	10,000 (Optional)
	Transaction storage	1,00,000
Biometric	Fingerprint sensor	500 DPI Optical sensor
	FAR	<=0.0001%
	FRR	<=1%
	Identification speed	<0.5 sec
	Algorithm Ver	10
Audio/Visual	Display	4.3-Inch Touch Screen
	LED Indicator	Green/Red
	Schedule Bell/Speaker	Mini Speaker
Communication	Communication	TCP/IP, RS232/485, USB Host
	Push data	Yes
	Standard features	Automatic Status Switch, Self-Service Query, Work Code, SMS DST, T9 Input, 9 Digit User ID, Scheduled Bell, Photo ID
Power & environment	Power Supply	12V 3A
	Operating Temperature	0°C - 45°C
	Operating Humidity	20% - 80%
	Dimension	195.5x166.5x120mm (LxWxT)
	Package Weight :	1.6 kg
	Wiegand	Output
Exit Readers	Support exit readers	Yes
Optional	Optional Function	ID/MiFare Card, Wi-Fi, 3G, ADMS, 2000 mAH Backup Battery



PRODUCT HIGHLIGHTS

Compatibility		Compatible with Multi Door controllers via weigand
		External Speaker output available (Optional)
		External Bulb output available (Optional)
		Support External Printer
Compatible Software and SDK		Desktop and web
		etime track lite desktop & web
		SDK for desktop applications
		Web based Device Manager/ePush server using Push data. Helps developers & integrators
		Supports 3rd Party Payroll/HRMS/ERP and Other applications
Major Applications		Time & Attendance , Canteen management, School attedance,
		Production Management, Gym & clubs