

VF380



Feature	
Face Capacity	800(1:N)
ID Card Capacity	10,000
Logs Capacity	1,00,000 Logs
Image Sensor	Special Sterio Dual Sensor



PRODUCT HIGHLIGHTS

Technical Specification		
Storage capacity	Face Capacity	800(1:N)
	Card Capacity	10,000
	Transaction storage	1,00,000 Logs
Biometric	Image sensor	Special Sterio Dual Sensor
	FAR	<=0.0001%
	FRR	<=1%
	Identification speed	<=1 sec
	Algorithm Ver	NA
Audio/Visual	Display	3" TFT Screen
	Keypad	NA
	LED Indicator	Green/Red
	Schedule Bell/Speaker	Mini Speaker
Communication	Communication	TCP/IP , USB- Host
	Push data	NO
	Camera	High Resolution Infrared Camera
	Standard features	Automatic Status Switch,Self Service QueryWork code
Power & Environment	Power Supply	12V, 1.5 Amps
	Operating Temperature	0°C to 45°C
	Operating Humidity	20% - 80%
	Dimension	104.70 x 160.00 x 36.00 mm



PRODUCT HIGHLIGHTS

Access Control	Wiegand	No
	Relay	12 V
	Support Fire Alarm	Yes
	Door Sensor	Yes
	Anti Passback	No
	Door Bell	No
Exit Readers	Support exit readers	No
Optional	Battery	No
	Card readers	No
	Communication	No
	Printer	No
Compatibility		Door Sensor, EM Lock
Compatible Software and SDK		SDK for desktop applications
		Web based Device Manager/ePush server using Push data. Helps developers & integrators
		Supports 3rd Party Payroll/HRMS/ERP and Other applications
Major Applications		Time & Attendance , Canteen management, School attedance,
		Production Management, Gym & clubs