

X990



Feature	
Special Feature	Push Data Technology
Fingerprints templates	3000 Templates
ID Card Capacity	3000 Cards
Transactions	1,00,000 Logs



PRODUCT HIGHLIGHTS

Technical Specification		
Storage capacity	Fingerprints templates	3000
	Card Storage	3000
	Transaction storage	1,00,000
	Card reader	Inbuilt proximity card reader(optional Mifare,HID prox,HID iclass)
	CPU	800 Mhz 32 bit Microprocessor
Biometric	Fingerprint sensor	500 DPI Optical sensor
	FAR	<=0.0001%
	FRR	<=1%
	Identification speed	<0.5 sec
Audio/Visual	Algorithm Ver	10
	Display	3" Color TFT
	Keypad	Yes
	LED Indicator	Green/Red
Communication	Schedule Bell/Speaker	Mini Speaker
	Communication	TCP/IP, USB, (Optional : Wifi, GPRS, GPRS+ GPS)
	Push data	yes (support both static IP and domain server)
	Standard features	work code,SMS,DLST, Self service query, Status Switch
Power & environment	Power Supply	DC 12V: 1.5Amp
	Operating Temperature	0°C to 45°C
	Operating Humidity	20% -80%
	Dimension	210x157x40



PRODUCT HIGHLIGHTS

Access control	Wiegand	In & Out both 26 or 34 bit (With or without site code)
	Relay	12 V relay for lock EM lock, Bolt Lock or Strike lock
	Support Fire Alarm	Yes
	Door Sensor	Yes
	Anti Passback	Yes
	Door Bell	Yes
Exit Readers	Support exit readers	101 HE , FR 1200, Push Button, KR500, Notouch, KR503
Optional	Battery	yes
	Card readers	Mifare/HID Prox/HID Iclass
	Communication	Wifi/GPRS
	Sensor	Mifare/HID Prox/HID Iclass
Compatibility		Compatible with Multi Door controllers via weigand
		External Speaker output available (Optional)
		External Bulb output available (Optional)
		Support External Printer
Compatible Software and SDK		Smart office suite desktop and web
		etime track lite desktop & web
		SDK for desktop applications
		Web based Device Manager/ePush server using Push data. Helps developers & integrators
		Supports 3rd Party Payroll/HRMS/ERP and Other applications
Major Applications		Time & Attendance , Canteen management, School attedance,
		Production Management, Gym & clubs