

CP- UVR-0800C1-V3

8 Ch. 720P HDCVI DVR



Main Features

- Support HDCVI / Analog Video input
- All channel 720P Realtime Recording
- H.264 dual-stream Video Compression
- HDMI / VGA Simultaneous Video Output
- Support 1 SATA HDD up to 6TB, 2 USB2.0
- Mobile Software: iCMOB, gCMOB, wCMOB
- CMS Software:KVMS, KVMS Pro



**Product casing and specifications are subject to change without prior notice*

CP- UVR-0800C1-V3

8 Ch. 720P HDCVI DVR



Feature

Processor
 Operating System
 Two-way Talk
 User Interface
 Video Input
 Video Output
 Video Standard
 Compression
 Video Resolution
 Video Recording
 Video Display Split
 Privacy Masking
 Motion Detection
 Video Loss
 Camera Blank
 Smart Phone
 Hard Disk
 Trigger Events
 Recording Mode
 Search Mode

Specification

Embedded processor
 Embedded LINUX
 Reuse audio input/output channel 1
 GUI
 8 channel, BNC
 1 HDMI, 1 VGA
 Analog: NTSC/PAL, HDCVI: 720P HDCVI Camera
 H.264 / G.711
 720P(1280×720) / 960H(960×576/960×480) / D1(704×576/704×480) / HD1
 (352×576/352×480) / BCIF(704×288 / 704×240) CIF(352×288/352×240) / QCIF
 (176×144/176×120)
 Main Stream:720P(1~25/30fps)+7*(1~12/15fps) / 960H/D1/HD1/BCIF/CIF/QCIF
 (1~25/30fps), Extra Stream: CIF/QCIF(1~7fps)
 1/4/8/9
 4 rectangular zones (each camera)
 Supports
 Supports
 Supports
 iPhone, iPad, Android, Windows Phone
 1 SATA port, up to 6TB
 Recording, PTZ, Tour, Video Push, Email, FTP, Spot, Buzzer & Screen tips
 Manual, Schedule(Regular(Continuous), MD), Stop
 Time/Date, MD & Exact search (accurate to second)
 Play, Pause, Stop, Rewind, Fast play, Slow play, Next file, Previous file, Next camera, Previous
 camera, Full screen, Repeat, Shuffle, Backup, selection, Digital zoom
 USB Device/Internal SATA burner/Network
 1~60 min (default: 60 min), Pre-record: 1~30 sec, Post-record: 10~300 sec
 1 HDMI, 1 VGA, 2 USB2.0, 1 RS485
 128 users
 RJ-45 port (10/100M)
 HTTP, IPv4/IPv6, TCP/IP, UPNP, RTSP, UDP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP
 Filter, SNMP, P2P, ONVIF Version 2.4 conformance



*Product casing and specifications are subject to change without prior notice

CP- UVR-0800C1-V3

8 Ch. 720P HDCVI DVR



Feature

Power Supply

Power Consumption

Working Temp

Dimensions

Weight

Specification

DC12V/4A

10W(without HDD)

-10 ~+55°C / 10~90%RH / 86~106kpa

260mm × 220mm × 44mm

1.05Kg(without HDD)