

CP- ENC-T41L5-VMD

4 MP Full HD WDR IR Bullet Camera - 50 Mtr.



Main Features

- 1/3" 4 MP CMOS Image Sensor
- 25fps @4 MP
- H.265 / H.264 Video Compression
- WDR(100dB), Day/Night (ICR), AWB, AGC, BLC
- 3.6mm (6mm optional) Lens
- IR Range of 50 Mtrs, IP66, SD Card
- Mobile Software: RMOB
- CMS Software: RVMS



*Product casing and specifications are subject to change without prior notice

CP- ENC-T41L5-VMD

4 MP Full HD WDR IR Bullet Camera - 50 Mtr.



Feature

Image Sensor
Minimum Illumination
White Balance
Gain Control (AGC)
Lens
Back Light Compensation
Video Compression
Video Streaming
Resolution
Frame Rate
ICR
Audio Input
Audio Output
Alarm IN
Alarm Out
WDR
Protocol
Ethernet
IR
Micro SD
Operating Temperature
Power Source
Dimension
Weatherproof Standard
Weight

Specification

1/3" 4 MP CMOS Image Sensor
0.01Lux@F1.2(Color)/0.001Lux@F1.2(B/W)
Auto/Manual
Auto/Manual
3.6mm (6mm optional) lens
Auto/Manual
H.265 / H.264
Dual-stream
4M(2560x1440) / 3M(2048x 1536)/1080P(1920x 1080) / 720P(1280x 720) /D1(704x 576) / CIF(352x 288)
Main Stream: 4MP@25fps, Sub-Stream: D1
Supports
1 Channel
1 Channel
2 Channel
1 Channel
WDR(100dB)
ONVIF Support (profile S)
1 RJ45 10M/100M adaptive Ethernet port
IR Range of 50 Mtr.
SD Card Max 128GB
-20°C~+65°C
DC12V±10%, PoE
161.2mm x 97.45mm x 87.3mm
IP66
891g