


CP- UNC-TD41L8-VMD

4 MP Full HD WDR IR Bullet Camera - 80Mtr.



Main Features

- 1/3" 4Megapixel PS CMOS Image Sensor
- 25/30fps@4M(2688x1520)
- H.265 and H.264 triple-stream encoding
- WDR(120dB), Day/Night (ICR), 3DNR, AWB, AGC, BLC
- 3.6mm fixed lens (6mm lens optional)
- IR Range of 80 Mtrs, IP67, Micro SD, PoE
- Mobile Software: iCMOB, gCMOB
- CMS Software: KVMS Pro, vOptimus Pro



*Product casing and specifications are subject to change without prior notice

CP- UNC-TD41L8-VMD

4 MP Full HD WDR IR Bullet Camera - 80Mtr.



Feature

Image Sensor
Minimum Illumination
Shutter Speed
White Balance
Lens
Gain Control (AGC)
Back Light Compensation
Video Compression
S/N Ratio
Video Streaming
Resolution
Privacy Mask
ICR
Audio Input
Audio Compression
Audio Output
Alarm IN
Alarm Out
Protocol
Smart Detection
Ethernet
User Account
IR
Smart Phone
Micro SD
Operating Temperature
Power Source
Power Consumption
Weatherproof Standard

Specification

1/3" 4Megapixel progressive scan CMOS
0.08Lux/F2.0 (Color), 0Lux/F2.0 (IR on)
Auto/Manual, 1/3(4)~1/100000s
Auto/Sunny/Night/Outdoor/Customized
3.6mm (6mm optional)
Auto/Manual
BLC / HLC / WDR(120dB)
H.265+/H.265/H.264+/H.264
More than 50dB
Main Stream: 4M(1~25/30fps), Sub Stream: D1(1~25/30fps), Third Stream: 720P(1~25/30fps)
4M(2688×1520)/3M(2304×1296)/ 1080P(1920×1080)/1.3M(1280×960)/ 720P(1280×720)/D1
(704×576/704×480)/ VGA(640×480)/CIF(352×288/352×240)
Up to 4 areas
Auto (ICR)/Color/B/W
1 Channel
G.711a/ G.711Mu/ AAC/ G.726
1 Channel
1 Channel
1 Channel
1 Channel
IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP,
DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour, 802.1x, ONVIF, PSIA, CGI
Tripwire, Intrusion, Object Abandoned/Missing, Face Detection
RJ-45 (10/100Base-T)
20 Users
IR Range of 80 Mtr.
iPhone, iPad, Android Phone
Max 128GB
-30°C~+60°C, Less than 95% RH
DC12V, PoE (802.3af)
<7.5W
IP67



*Product casing and specifications are subject to change without prior notice

CP- UNC-TD41L8-VMD

4 MP Full HD WDR IR Bullet Camera - 80Mtr.



Feature	Specification
Dimension	241.8mm x 90.4mm x 90.3mm
Weight	0.61Kg