CP PLUS

CP- UNR-208T2-P8V2

8 Ch. 8PoE Network Video Recorder

ORANGE

Main Features

- H.264Plus /H.264 dual codec decoding
- Up to 6Mp resolution preview & playback
- Max 80Mbps incoming bandwidth
- Support 2 SATA HDDs up to 12TB, 2 ports (USB 2.0), 8PoE Ports
- HDMI / VGA simultaneous video output
- Support Multi-brand network cameras
- ONVIF Version 2.4 conformance
- Mobile Software: iCMOB, gCMOB
- CMS Software: KVMS, KVMS Pro

8 Ch | Linux POWERED | H.264 COMPRESSION | HI-SPEED CERTIFIED USB | GUI | CMS

CE FC RoHS COMPLIANT

CP PLUS

CP- UNR-208T2-P8V2

8 Ch. 8PoE Network Video Recorder

ORANGE

Feature	Specification
Processor	Dual-core embedded processor
IP Camera Input	8 channel
Operating System	Embedded LINUX
Two-way Talk	1 channel Input, 1 channel Output, RCA
User Interface	GUI
Video Output	1 HDMI, 1 VGA
Compression	H.264+/H.264
Video Resolution	1920×1080, 1280×1024, 1280×720, 1024×768
Video Recording	Max 80 Mbps, 6Mp, 5Mp, 4Mp, 3Mp, 1080P, 1.3Mp, 720P & etc.
Video Display Split	1/4/8/9
Motion Detection	MD Zones: 396(22×18).
Camera Blank	Supports
Hard Disk	2 SATA III ports, up to 12TB
Smart Phone	iPhone, iPad, Android Phone
Trigger Events	Recording, PTZ, Tour, Video Push, Snapshot, and Screen Tips
Recording Mode	Manual, Schedule(Regular(Continuous), MD, Stop
Search Mode	Time /Date, MD and Exact Search (accurate to second)
Playback	Play, Pause, Stop, Rewind, Fast play, Slow play, Next file, Previous file, Next camera, Previous camera, Full screen, Repeat, Shuffle, Backup selection,Digital zoom
Backup Mode	USB Device / Network
Record Interval	1~120 min (default: 60 min), Pre-record: 1~30 sec, Post-record: 10~300 sec
Interface Ports	1 HDMI, 1 VGA, 2 ports (1 RearUSB2.0, 1 FrontUSB2.0), 1 RJ45
Max User Account	128 users
Ethernet	1 RJ-45 port (10/100M) , 1 Independent 100Mbps Ethernet Port, 8 PoE ports (IEEE802.3at/af)
Protocols	HTTP, TCP/IP, IPv4/IPv6, RTSP, UDP, NTP, DHCP, DNS, IP Filter, DDNS, IP Search, ONVIF 2.4, CGI Conformant
Power Supply	DC53V/2.3A
Power Consumption	<4.5W (without HDD)
Working Temp	-10 ~+55℃ / 10~90%RH / 86~106kpa
Dimensions	375mm x 275mm x 53mm
Weight	1.6kg (without HDD)

CE FC RoHS COMPLIANT

CP- UNR-208T2-P8V2

8 Ch. 8PoE Network Video Recorder

ORANGE

Feature	Specification