


**CP- UVP-20205L10****2 MP Full HD 20x HDCVI IR PTZ Dome Camera****Main Features**

- 1/2.8" Exmor HQIS Pro Image sensor
- Powerful 20x Optical and 16x Digital zoom
- BLC / HLC / DWDR
- Up to 300 presets, 5 auto scan, 8 tour, 5 pattern
- IR Range of 100 Mtr.
- Max 400°/s pan speed, 360° endless pan rotation
- Built-in 2/1 alarm in/out, IP66
- Mobile Software: iCMOB, gCMOB, wCMOB
- CMS Software: KVMS Pro, vOptimus Pro



# CP- UVP-20205L10

## 2 MP Full HD 20x HDCVI IR PTZ Dome Camera



### Feature

Image Sensor  
Effective Pixels  
Video Output  
S/N Ratio  
Minimum Illumination  
Focal Length  
Focus Control  
White Balance  
Close Focus Distance  
Angle of View  
Electronic Shutter  
AGC control  
Back Light Compensation  
Optical Zoom  
Digital Zoom  
Pan Travel  
Tilt Travel  
Presets  
Preset Speed  
Privacy Masking  
Special Features  
Power up Action  
Idle Motion  
Time Task  
Day/Night: IR Cut Filter  
Audio Streaming  
Networking  
Protocols  
Alarm  
Max Remote Users  
Smart Phone  
Operating Temperature

### Specification

1/2.8" Exmor HQIS Pro  
1920(H) x 1080(V)  
1-channel BNC HDCVI high definition video output/ CVBS standard definition video output  
More than 50dB  
Color: 0.05Lux@F1.4, B/W: 0.005Lux@F1.4, 0Lux (IR on)  
4.7mm~94mm (20x Optical zoom)  
Auto / Manual  
Auto, ATW, Indoor, Outdoor, Manual  
100mm~ 1000mm  
H: 54.1° ~ 3.1°  
1/1 ~ 1/30,000s  
Auto / Manual  
BLC / HLC / DWDR  
20x  
16x  
0°~360° endless, Pan Speed: 0.1° ~ 300°/sec  
-15° ~ 90° auto flip 180°, Tilt Speed: 0.1° ~200°/sec  
300  
Pan: 400° /s; Tilt: 300° /s  
Up to 24 areas  
IR Range upto 100m, Up to 300 Presets, 8 Tour, 5 Pattern, Auto scan, Auto Pan  
Auto restore to previous PTZ and lens status after power failure  
Activate Preset/ Pan/ Scan/ Tour/ Pattern if there is no command in the specified period  
Auto activation of Prese/Pan/Scan/Tour/Pattern by preset-time  
Auto(ICR) / Color / B/W  
1 channel In  
1 RS485  
Pelco-P/D (Auto recognition)  
2/1 channel In/Out  
20 users  
iPhone, iPad, Android, Windows Phone  
-40°C ~ 70°C / Less than 90% RH



\*Product casing and specifications are subject to change without prior notice

# CP- UVP-20205L10

2 MP Full HD 20x HDCVI IR PTZ Dome Camera



## Feature

Weather Proof Standard

Dimension

Weight

Power Source

Power Consumption

## Specification

IP66

Φ186.0(mm) x 310(mm)

3.5kg

AC24V/3A (±10%)

12W, 25W (IR on)