


CP- UVP-D2520L10-D

2MP 25x HDCVI IR PTZ Camera - 100 Mtr.



Main Features

- 1/2.8" 2MP CMOS Image sensor
- Max. 25/30fps@1080P, 25/30/50/60fps@720P
- Powerful 25x Optical and 16x Digital zoom
- WDR(120dB), 3D DNR, Day/Night (ICR), BLC,HLC
- Up to 300 presets, 8 auto scan, 8 tour, 8 auto pan, 5 pattern
- IR Range of 100 Mtr.
- Max 240°/s pan speed, 360° endless pan rotation
- Built-in 2/1 alarm in/out, IP66
- Mobile Software: iCMOB, gCMOB
- CMS Software: KVMS Pro, vOptimus Pro



*Product casing and specifications are subject to change without prior notice

CP- UVP-D2520L10-D

2MP 25x HDCVI IR PTZ Camera - 100 Mtr.



Feature

Image Sensor
 Effective Pixels
 Video Output
 S/N Ratio
 Minimum Illumination
 Focal Length
 White Balance
 Focus Control
 Angle of View
 Close Focus Distance
 Electronic Shutter
 AGC control
 Back Light Compensation
 Optical Zoom
 Digital Zoom
 Pan Travel
 Tilt Travel
 Presets
 Preset Speed
 Special Features
 Privacy Masking
 Power up Action
 Idle Motion
 Day/Night: IR Cut Filter
 Audio Streaming
 Networking
 Protocols
 Alarm
 Operating Temperature
 Weather Proof Standard
 Dimension
 Weight

Specification

1/2.8" PS CMOS
 1920(H) x 1080(V), 2MP
 1-channel BNC high definition video output/ CVBS standard definition video output
 More than 55dB
 Color: 0.005Lux@F1.6; 0Lux@F1.6 (IR on)
 4.8mm~120mm (25x Optical zoom)
 Auto, ATW, Indoor, Outdoor, Manual
 Auto / Manual
 H: 59.2° ~ 2.4°
 100mm~ 1000mm
 1/1 ~ 1/30,000s
 Auto / Manual
 BLC / HLC / WDR(120dB)
 25x
 16x
 0°~360° endless, Pan Speed: 0.1° ~ 200°/sec
 -15° ~ 90° auto flip 180°, Tilt Speed: 0.1° ~120°/sec
 300
 Pan: 240° /s; Tilt: 200° /s
 IR Range upto 100m, Up to 300 Presets, 5 Pattern, 8 Tour, Auto Pan ,Auto Scan
 Up to 24 areas
 Auto restore to previous PTZ and lens status after power failure
 Activate Preset/ Pan/ Scan/ Tour/ Pattern if there is no command in the specified period
 Auto (ICR) / Color / B/W
 1 channel In
 1 RS485
 Pelco-P/D (Auto recognition)
 2/1 channel In/Out
 -40°C ~ 70°C / Less than 90% RH
 IP66
 Ø160(mm) x 295(mm)
 3kg



*Product casing and specifications are subject to change without prior notice

CP- UVP-D2520L10-D

2MP 25x HDCVI IR PTZ Camera - 100 Mtr.



Feature

Power Source

Power Consumption

Specification

DC 12V/3A

13W,20W (IR on)