


**CP- UNP-2020TL10-P****2 MP Full HD IP IR PTZ Camera - 100 Mtr.****Main Features**

- 1/2.8" CMOS Image sensor
- Powerful 20x Optical and 16x Digital zoom
- Support Triple-streams encoding
- Max. 25/30fps@1080P and 50/60fps@720P Resolution
- DWDR, Day/Night (ICR), Ultra DNR, Auto iris, Auto focus
- Up to 300 Presets, 8 Tour, 5 Pattern, 5 Auto scan
- Max 400°/s pan speed, 360° endless pan rotation
- IR Range of 100 Mtr.
- Built-in 2/1 alarm in/out, IP66, SD Card, PoE Plus
- Mobile Software: iCMOB, gCMOB
- CMS Software: KVMS Pro, vOptimus Pro



\*Product casing and specifications are subject to change without prior notice

# CP- UNP-2020TL10-P

2 MP Full HD IP IR PTZ Camera - 100 Mtr.



## Feature

Image Sensor

Effective Pixels

S/N Ratio

Minimum Illumination

Focal Length

White Balance

Focus Control

Close Focus Distance

Angle of View

Electronic Shutter

AGC control

Back Light Compensation

Optical Zoom

Digital Zoom

Pan Travel

Tilt Travel

Presets

Preset Speed

Privacy Masking

Special Features

Power up Action

Idle Motion

Day/Night: IR Cut Filter

Video Compression

Video Streaming

Audio Compression

Audio Streaming

IVS

Networking

Protocols

## Specification

1/2.8" CMOS

1944(H) x 1092(V), 2Megapixels

More than 55dB

Color: 0.05Lux@F1.4; B/W: 0.005Lux@F1.4

4.7mm ~ 94.0mm

Auto, ATW, Indoor, Outdoor, Manual

Auto / Manual

100mm~ 1000mm

H: 56.1° ~ 3.1°

1/3 ~ 1/30,000s

Auto / Manual

BLC / HLC / DWDR

20x

16x

0° ~ 360° endless, Pan Speed: 0.1° ~ 300°/sec

-15° ~ 90°, auto flip 180°, Tilt Speed: 0.1° ~ 200°/sec

300

Pan: 400° /s; Tilt: 300° /s

Up to 24 areas

IR Range of 100 Mtr., Up to 300 Presets, 8 Tour, 5 Pattern, 8 Auto scan, Auto Pan

Auto restore to previous PTZ and lens status after power failure

Activate Preset/ Pan/ Scan/ Tour/ Pattern if there is no command in the specified period

Auto (ICR) / Color / B/W

H.264 / MJPEG

Main Stream: 1080P/ D1 (1 ~ 25/30fps), 720P(1~50/60fps), Sub Stream 1: D1/CIF(1 ~ 25/30fps), Sub Stream 2: 720P/ D1/ CIF (1 ~ 25/30fps)

G.711a / G.711u(32kbps)/ PCM(128kbps)

1/1 channel In/Out

Tripwire, Intrusion, Abandoned Object Detection, Missing Object Detection, Face Detection

RJ-45 (10/100Base-T)

IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour, 802.1x, ONVIF PSIA CGI



\*Product casing and specifications are subject to change without prior notice

# CP- UNP-2020TL10-P

2 MP Full HD IP IR PTZ Camera - 100 Mtr.



## Feature

Alarm  
Max Remote Users  
Operating Temperature  
Smart Phone  
Memory Slot  
Weather Proof Standard  
Dimension  
Weight  
Power Source  
Power Consumption

## Specification

2/1 channel In/Out  
20 users  
-40°C ~ 70°C / Less than 90% RH  
iPhone, iPad, Android Phone  
Micro SD, Max 128GB  
IP66  
Φ186 (mm) x 309 (mm)  
3.5 kg  
AC24V, POE plus(802.3at)  
13W, 23W (IR on)